# NOTICE OF PRODUCT CERTIFICATION

**CERTIFICATION NO:** NI015345.01
**DATE:** 07/29/2021
**CERTIFICATION PROGRAM:** Structural
**COMPANY:** Elite Windows
**CODE:** 2782-1

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION |
|---|---|
| **Elite Windows and Doors, LLC**<br>**1010 Northwest 15 Avenue**<br>**Pompano Beach, FL 33069** | **Series "R-220"**<br>**Aluminum Horizontal Sliding Window**<br><br>Configuration: OX<br>Glazing: Monolithic- 3/16" Heat Strengthened Glass/0.090" Trosifol PVB Interlayer/3/16" Heat Strengthened Glass or 3/16" Heat Strengthened Glass/0.090" Sentryglas Interlayer/3/16" Heat Strengthened Glass<br><br>Frame: W-1857mm(73.13") H-2286mm(90")<br><br>DLO: W-797mm(31.38") H-2100mm(82.69") |

| SPECIFICATION | PRODUCT RATING |
|---|---|
| **TAS 201/202/203-94** | **Design Pressure: ±4788 Pa (±100 psf)**<br>**Water Penetration Resistance Test Pressure: 718 Pa (15 psf)**<br>**Large Missile Impact Rated** |

Product Tested By: Blackwater Technical Services, Inc.
Report No: BT-BEY-20-001
Expiration Date: **October 31, 2024**

Administrator's Signature: _____


**NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.**
**4794 George Washington Memorial Highway**
**Hayes, VA 23072**
**Tel: (804) 684-5124**
**Fax: (804) 684-5122**