



AAMA CERTIFICATION PROGRAM
An FGIA Product Certification Program

AUTHORIZATION FOR PRODUCT CERTIFICATION

Simonton Windows
1 Cochrane Dr.
Pennsboro, WV 26415

This authorization is based on the successful completion of tests, and the reporting to the AAMA Validator of the results of the tests by an AAMA Accredited Laboratory. The product information below will be added to the next update of the AAMA Certified Products Directory.

SPECIFICATIONS		RECORD OF PRODUCT TESTED			
AAMA/WDMA/CSA 101/I.S.2/A440-17 R-PG40-2667x1600 (105x63)-HS	AAMA 506				
COMPANY AND CODE	Missile Level: C Rating: +40/-40, 105x63 Wind Zone: 2	CPD NO.	SERIES MODEL & PRODUCT DESCRIPTION	MAXIMUM SIZE TESTED	
Simonton Windows Code: SIM	Rating above conforms to the requirements of: ASTM E1886 and E1996	19667	07-09/07-20 HS (PVC)(XOX)(OG) (INS 0.060" PVB LAM GL) (MODIF)(REINF)(ASTM)	<u>FRAME (mm)</u> 2667 x 1600 (105" x 63")	<u>SASH (mm)</u> 873 x 1492 (34" x 59")

This Certification will expire **May 11, 2031 (extended from May 11, 2026)** and requires validation until then by continued listing in the current AAMA Certified Products Directory.

Structural Test & Report By:

National Certified Testing Laboratories

Report No: **NCTL-110-24312-1**

Date of Report: **May 24, 2021**

Date Test Completed: **May 11, 2021**

Missile Impact Test & Report By:


National Certified Testing Laboratories

Report No: **NCTL-110-24312-1**

Date of Report: **May 24, 2021**

Date Test Completed: **May 11, 2021**

Evaluated for Certification: **February 23, 2026**


Associated Laboratories, Inc.

Authorized for Certification: **February 23, 2026**


Fenestration and Glazing Industry Alliance
1900 East Golf Road Schaumburg, IL 60173



(Validator / Operations Administrator)