

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015444.02-R7
DATE: 09/30/2021
CERTIFICATION PROGRAM: Structural
COMPANY: ProVia Door
CODE: 1212-1
REVISION DATE: 07/29/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
ProVia, LLC 2150 State Route 39 Sugarcreek, OH 44681	20 Gauge Steel Full-Lite Inswing Patio Door System (w/Single Point Lock) Configuration: OXO Glazing: IG-1/8" Tempered Glass/1/8" Annealed Glass/0.090" Saflex PVB Interlayer/1/8" Annealed Glass Frame: W-2788mm(109.75") H-2481mm(97.69") Panel: W-908mm(35.75") H-2411mm(94.94") DLO: W-533mm(21") H-2007mm(79")

SPECIFICATION	PRODUCT RATING
ASTM E1886-13a ASTM E1996-14a	Design Pressure: ± 2400 Pa (± 50 psf) Wind Zone 3 - Missile Level D

Product Tested By: Intertek, PLC
Report No: M4361.01-501-47/W-2024/W-2084/W-2104/W-2105/W-2170/W-2199
Expiration Date: **June 30, 2029**

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "MD", is written over a horizontal line.

**NATIONAL ACCREDITATION &
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC 03/30/2023