

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015604.10-R1
DATE: 06/27/2022
CERTIFICATION PROGRAM: Structural
COMPANY: Ply Gem
CODE: 1408-1
REVISION DATE: 12/12/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Ply Gem Window Group Simonton Windows 5020 Weston Parkway, Suite 300 Cary, NC 27513	Series "Perspective & MaxView" Vinyl Sliding Glass Door (3-Track w/Exterior Pocket) Configuration: OXX-XXXP Glazing: Insulating Glass (Tempered) Frame: W-8788mm(346") H-2438mm(96") Panel: W-1524mm(60") H-2365mm(93.13") DLO: W-1295mm(51") H-2137mm(84.13")

SPECIFICATION	PRODUCT RATING
TAS 202-94	Design Pressure: ±2394 Pa (±50 psf) Water Penetration Resistance Test Pressure: 361 Pa (7.52 psf)

Product Tested By: Molimo Architectural Product Testing
Report No: 3137.04-106-11
Expiration Date: **February 28, 2026**

Administrator's Signature: _____


NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com