

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI015832.03  
**DATE:** 07/25/2023  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Ply Gem  
**CODE:** 1408-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<p><b>Ply Gem Window Group</b></p> <p><b>Simonton Windows</b></p> <p><b>520 Weston Parkway, Suite 300</b></p> <p><b>Cary, NC 27513</b></p>	<p style="text-align: center;"><b>Series “Ply Gem Perspective/ Simonton MaxView”</b></p> <p style="text-align: center;"><b>Vinyl Sliding Glass Door</b></p> <p style="text-align: center;"><b>(3-Track w/Exterior pocket)</b></p> <p style="text-align: center;">Configuration: XXX-XXXP                      Glazing: IG-1/8 Tempered Glass/1/8" Heat Strengthened Glass/0.105" Eastman Saflex PVB Interlayer/1/8" Heat Strengthened Glass Or IG-5/32" Tempered Glass/1/8" Heat Strengthened Glass/0.105" Eastman Saflex PVB Interlayer/1/8" Heat Strengthened Glass</p> <p>Frame:    W-7126mm(280.56") H-2426mm(95.5")</p> <p>Panel:     W-1248mm(49.13") H-2364mm(93.06")</p> <p>DLO:       W-1019mm(40.13") H-2137mm(84.13")</p>

SPECIFICATION	PRODUCT RATING
<p><b>TAS 201/202/203-94</b></p>	<p><b>Design Pressure: ±2879 Pa (±60 psf)</b></p> <p><b>Positive Design Pressure: 2879 Pa (60 psf)</b></p> <p><b>Negative Design Pressure: 3112 Pa (65 psf)</b></p> <p>Water Penetration Resistance Test Pressure: 440 Pa (9.19 psf)</p> <p><b>Large Missile Impact Rated</b></p>

Product Tested By: Molimo Architectural Product Testing  
 Report No: 11835.10-106-12  
 Expiration Date: **January 31, 2027**

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
 MANAGEMENT INSTITUTE, INC.**  
 4794 George Washington Memorial Highway  
 Hayes, VA 23072  
 Tel: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)