

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015816
DATE: 06/06/2023
CERTIFICATION PROGRAM: Structural
COMPANY: SC Lipoplast
CODE: 2624-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
3 Euro Windows LTD. 513 Edenbrook Place Waterloo, ON N2L 4N6	Series "Premier 76" Vinyl Tilt & Turn Inswing Window Configuration: X Glazing: IG-1/4" Tempered Glass/5/32" Heat Strengthened Glass/0.090" Kuraray Trosifol PVB Interlayer/5/32" Heat Strengthened Glass Frame: W-1219mm(48") H-2438mm(96") Vent: W-1143mm(45") H-2362mm(93") DLO: W-972mm(38.3") H-2191mm(86.3")

SPECIFICATION	PRODUCT RATING
ASTM E1886-19 ASTM E1996-20 TAS 201/202/203-94	Design Pressure: ±3352 Pa (±70 psf) Water Penetration Resistance Test Pressure: 720 Pa (15.04 psf) Wind Zone 4 - Missile Level D Large Missile Impact Rated

Product Tested By: UL Laboratory Canada, Inc.
Report No: AC-00485-A-1
Expiration Date: **January 31, 2027**

Administrator's Signature: _____


NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com