



Structural Performance Certification Authorization Report

Panoramic Doors LLC

15050 Frye Rd

Fort Worth, TX 76155, USA

Certification ID:	1256-103
Company Code:	1256
Certification Date:	8/8/2023
Revision:	0
Revision Date:	8/8/2023
Expiration Date:	8/8/2027

Product Rating Information:

Model:	Chamberlin XL Series XXXX Folding Door		
Operator Type:	FLD		
Configuration:	No, GS - Ext 3/16" Temp, Int 3/16" HS IG		
Referenced Standard:	ASTM E283-04(2012), E330/E330M-14, E547-00(2016)		
Product Rating:	DP +/-50 psf, Air @ 1.75 psf = 0.30 cfm/sq.ft, WTP=7.5 psf, ~150x120 in		
Rated Dimensions:	Max Width:	150 in	Max Height: 120 in

Qualifying Test Information:

Test Report No:	Q1384.01-801-44-R3
Test Report Expiration:	8/8/2027

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standards. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.

This report indicates the product is eligible for the application of certification labels for the Keystone Fenestration Certification Program. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com.



Authorized By:



Keystone Certifications, Inc.
145 Limekiln Rd, Suite 100B
New Cumberland, PA 17070
Phone: 717-932-8500



Structural Performance Certification Authorization Report

Revision History

Rev #	Date	Description
0	8/8/2023	Initial Issuance.