NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI014780.14**
DATE:	**05/27/2026**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**Intus**
CODE:	**1817-1**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Intus Windows, LLC **2720 Prosperity Avenue, 400-1** **Fairfax, VA 22031**	**Series "Supera"** **Polymer Inswing Casement Window** Configuration: X Glazing: IG-Ext. 5/32" Tempered Glass/0.06" Trosifol XT PVB Interlayer/5/32" Tempered Glass/Int. 1/4" Tempered Glass Frame: W-1283mm(50.50") H-2076mm(81.75") Vent: W-1118mm(44") H-1930mm(76") DLO: W-937mm(36.88") H-1749mm(68.88")

SPECIFICATION	PRODUCT RATING
ASTM E1886-13a/19 **ASTM E1996-17/20**	**Design Pressure: ±4320 Pa (±90 psf)** **Wind Zone 4 - Missile Level A** **Small Missile Impact Rated**

Product Tested By: Molimo, LLC
Report No: 30470.05-106-13
Expiration Date: **July 31, 2029**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com