



AAMA CERTIFICATION PROGRAM
An FGIA Product Certification Program



AUTHORIZATION FOR PRODUCT CERTIFICATION

Peerless Products, Inc.
P.O. Box 431
Ft. Scott, KS 66701

This authorization is based on the successful completion of tests, and the reporting to the AAMA Validator of the results of the tests by an AAMA Accredited Laboratory. The product information below will be added to the next update of the AAMA Certified Products Directory.

SPECIFICATIONS		RECORD OF PRODUCT TESTED			
AAMA/WDMA/CSA 101/I.S.2/A440-17 AW-PG80-1219x3048 (48x120)-ATD	AAMA 506				
COMPANY AND CODE	Missile Level: D Rating: +80/-90, 48x120 Wind Zone: 4 Rating above conforms to the requirements of: ASTM E1886 and E1996	CPD NO.	SERIES MODEL & PRODUCT DESCRIPTION	MAXIMUM SIZE TESTED	
Peerless Products, Inc. Code: PP		21390	GTD5 OUTSWING TERRACE DOOR (AL)(X)(IG) (INS TEMP/0.090" SGP LAM GL)(AAMA)	<u>FRAME (mm)</u> 1219 x 3048 (48" x 120")	<u>LEAF (mm)</u> 1175 x 3016 (46" x 119")

This Certification will expire **January 13, 2027** and requires validation until then by continued listing in the current AAMA Certified Products Directory.

Structural Test & Report By:

Intertek B&C

Report No: **M9702.01-801-44**

Date of Report: **February 15, 2022**

Date Test Completed: **January 13, 2022**

Missile Impact Test & Report By:


Intertek B&C

Report No: **M9702.01-801-44**

Date of Report: **February 15, 2022**

Date Test Completed: **January 13, 2022**

Evaluated for Certification: **October 26, 2023**


Associated Laboratories, Inc.

A.L.I

(Validator / Operations Administrator)

ACP-04 (Rev. 2/20)

Authorized for Certification: **October 26, 2023**


Fenestration and Glazing Industry Alliance