

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016949
DATE: 04/07/2026
CERTIFICATION PROGRAM: Structural
COMPANY: Lippert
CODE: 206-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Lippert Components, Inc. 5001 North Graham Street Charlotte, NC 28269	Series "Estate 3900, 3905 No-J, 3903 Repl" Vinyl Horizontal Sliding Window (New Construction or Replacement) Configuration: OX Glazing: Insulating Glass (Tempered) Frame: W-1829mm(72") H-1524mm(60") Sash: W-897mm(35.31") H-1435mm(56.50") DLO: W-826mm(32.50") H-1359mm(53.50")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-22 AAMA/WDMA/CSA 101/I.S.2/A440-17	Class LC-PG50 1829 x 1524 (72 x 60)-HS Design Pressure: ± 2400 Pa (± 50 psf) Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf) Canadian Air Infiltration/Exfiltration Level: A2

Product Tested By: Molimo, LLC
Report No: 32667.01-109-11
Expiration Date: **March 31, 2030**

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "MD".

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023