

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015353-R1
DATE: 08/03/2021
CERTIFICATION PROGRAM: Structural
COMPANY: Kudzu
CODE: 2118-1
REVISION DATE: 04/17/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Kudzu Millwork, Inc. 1201 Echols Drive West Fort Payne, AL 35968	Series "1400" Vinyl Fixed Picture Window Configuration: O Glazing: Insulated Glass (Annealed) Frame: W-1835mm(72.25") H-1842mm(72.50") DLO: W-1702mm(67") H-1702mm(67")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17	Class LC-PG50 1835 x 1842 (72 x 72)-FW Design Pressure: ±2400 Pa (±50 psf) Water Penetration Resistance Test Pressure: 580 Pa (12.12 psf) Canadian Air Infiltration/Exfiltration Level: Fixed

Product Tested By: Intertek, PLC
Report No: L5005.02-901-44
Expiration Date: October 31, 2034

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "Shi".

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023