

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016332.04
DATE: 04/22/2025
CERTIFICATION PROGRAM: Structural
COMPANY: Masonite
CODE: 1823-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Masonite International 1955 Powis Road West Chicago, IL 60185	Flush Glazed Fiberglass Inswing Fiberglass Side-Hinged Door Assembly Configuration: XX Glazing: 1G-1/8" Tempered Glass/1/8" Heat Strengthened Glass/0.090" PVB Interlayer/1/8" Heat Strengthened Glass Frame: W-1880mm(74") H-2486mm(97.88") Panel: W-908mm(35.75") H-2419mm(95.25") DLO: W-635mm(25") H-2007mm(79")

SPECIFICATION	PRODUCT RATING
ASTM E330-14 ASTM E283-04 ASTM E331-00 TAS 202-94 (Limited Water) TAS 201/203-94	Positive Design Pressure: ±45 psf Water Penetration Resistance Test Pressure: 0 psf Large Missile Impact Rated

Product Tested By: American Test Lab, Inc. (ATLNC)
Report No: ATLNC 0310.01-25/W-1842/W-1878/W-1972/W-2107/Anchor Detail - MA-FL 0271
Expiration Date: March 31, 2029

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com

NOPC-03/30/2023