NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI016833**
DATE:	**10/23/2025**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**Cantera**
CODE:	**549-1**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Cantera Doors **22108 Hwy-71 West Suite 4-404** **Spicewood, TX 78669**	**Steel Double Inswing Doors** **Steel Inswing Double Side Hinged Doors** **(w/Sidelite, w/ or w/o True Divided Lites)** Configuration: XXO Glazing: Monolithic-1/4" Heat-Strengthened Glass/0.090" Kuraray SentryGlas Interlayer/1/4" Heat Strengthened Glass Frame: W-3886mm(153") H-3048mm(120") Panel: W-1022mm(40.25") H-2980mm(117.31") DLO: W-892mm(35.13") H-2831mm(111.44")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 **TAS 201/202/203-94**	**Class LC-PG75 3886 x 3048 (153 x 120)-SHD** **Design Pressure: ±3600 Pa (±75 psf)** **Water Penetration Resistance Test Pressure: 540 Pa (11.30 psf)** **Large Missile Impact Rated**

Product Tested By: PRI Construction Materials Technologies, LLC
Report No: 2829T0003A
Expiration Date: **October 31, 2029**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com