

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016694
DATE: 06/18/2025
CERTIFICATION PROGRAM: Structural
COMPANY: Alucorp
CODE: 2432-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Alucorp S.A. De C.V. Calle 2 Tab 17439 Int. C X21 Y25 Chichi Suarez Merida, Yucatan, Mexico 97305	Series "88mm Lift & Slide" Vinyl Sliding Glass Door Configuration: OXXO Glazing: IG- 1/4" Tempered Glass/3/16" Heat Strengthened Glass/0.090" Kuraray Sentry Glass Interlayer/3/16" Heat Strengthened Glass Frame: W-6500mm(255.9") H-2900mm(114.17") Panel: W-1676mm(66") H-2770mm(109.06") DLO: W-1396mm(54.96") H-2570mm(101.18")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: ±2633 Pa (55 psf) Water Penetration Resistance Test Pressure: 395 Pa (8.25 psf) Large Missile Impact Rated

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-4116-04
Expiration Date: **June 30, 2029**

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "Shi".

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com

NOPC-03/30/2023