

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016689
DATE: 06/18/2025
CERTIFICATION PROGRAM: Structural
COMPANY: Alucorp
CODE: 2432-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Alucorp S.A. De C.V. Calle 2 Tab 17439 Int. C X21 Y25 Chichi Suarez Merida, Yucatan, Mexico 97305	Series "Tilt & Turn" Project-In Vinyl Casement Prime Window Configuration: X Glazing: IG- 1/8" Annealed Glass/1/4" Annealed Glass/0.090" Solutia PVB Interlayer/1/4" Annealed Glass Frame: W-4'2" H-6'8" Vent: W-3'10" H-6'5" STP: POS+127.5 psf NEG-127.5 psf

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94 AAMA/NWWDA 101/I.S.2-97	Design Pressure: +85/-85 psf Large Missile Impact Rated DA-LC65

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-2876-5/W-1869
Expiration Date: June 30, 2029

Administrator's Signature: 

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com

NOPC-03/30/2023