

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016697
DATE: 06/18/2025
CERTIFICATION PROGRAM: Structural
COMPANY: Alucorp
CODE: 2432-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Alucorp S.A. De C.V. Calle 2 Tab 17439 Int. C X21 Y25 Chichi Suarez Merida, Yucatan, Mexico 97305	Series "76AD" Vinyl Outswing French Door Assembly Configuration: XX Glazing: IG- 1/4" Tempered Glass/3/16" Heat Strengthened Glass/0.090" Kuraray America SGP Interlayer/3/16" Heat Strengthened Glass or 1/4" Tempered Glass/3/16" Heat Strengthened Glass/0.090" Kuraray America PVB Interlayer/3/16" Heat Strengthened Glass or Monolithic- 1/4" Heat Strengthened Glass/0.090" Kuraray America SGP Interlayer/1/4" Heat Strengthened Glass or 1/4" Heat Strengthened Glass/0.090" Kuraray America PVB Interlayer/1/4" Heat Strengthened Glass Frame: W-2235mm(88") H-3048mm(120") DLO: W-875mm(34.44") H-2796mm(110.06")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: ±5746 Pa (120 psf) Water Penetration Resistance Test Pressure: 862 Pa (18 psf) Large Missile Impact Rated

Product Tested By: Blackwater Testing, Inc.
Report No: BT-EUR-18-003
Expiration Date: June 30, 2029

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com

NOPC-03/30/2023