

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016232-R1
DATE: 06/18/2024
CERTIFICATION PROGRAM: Structural
COMPANY: Quaker
CODE: 031-1
REVISION DATE: 07/31/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Quaker Window Products 504 Highway 63 South Freeburg, MO 65035	Series "C700/705 & W700/705" Aluminum Outswing Awning Window (Roto Window) Configuration: X Glazing: IG-Ext. 1/4" Annealed Glass/Int. 1/8" Annealed Glass/0.090" Kuraray PVB Interlayer/1/8" Annealed Glass Frame: W-1524mm(60") H-1219mm(48") Vent: W-1487mm(58.56") H-1183mm(46.56") DLO: W-1376mm(54.19") H-1072mm(42.19")

SPECIFICATION	PRODUCT RATING
AAMA 506-16 ASTM E1886-13a ASTM E1996-17	Design Pressure: ± 3360 Pa (± 70 psf) Water Penetration Resistance Test Pressure: 580 Pa (12.11 psf) Wind Zone 3 - Missile Level D

Product Tested By: Intertek, PLC
Report No: L5916.01-801-44/L0637.01-801-44/W-2168
Expiration Date: **June 30, 2028**

Administrator's Signature: 

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023