NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI016777.01**
DATE:	**08/04/2025**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**Quaker**
CODE:	**031-1**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Quaker Window Products **504 Highway 63 South** **Freeburg, MO 65035**	**Series "C200 & W200 Low Sill"** **Aluminum Sliding Glass Door** Configuration: OXXO Glazing: Insulating Glass (Tempered) Frame: W-3658mm(144") H-2438mm(96") Panel: W-949mm(37.38") H-2381mm(93.75") DLO: W-775mm(30.50") H-2184mm(86")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-22	**Class R-PG25 3658 x 2438 (144 x 96)-SD** **Class LC-PG25 3658 x 2438 (144 x 96)-SD** **Design Pressure: 1200 Pa (25 psf)** **Positive Design Pressure: 2400 Pa (50 psf)** **Negative Design Pressure: 2400 Pa (50 psf)** **Water Penetration Resistance Test Pressure: 180 Pa (3.76 psf)** **Canadian Air Infiltration/Exfiltration Level: A2**

Product Tested By: Intertek, PLC
Report No: S2101.05-801-47
Expiration Date: **January 31, 2029**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com