NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI016820.01**
DATE:	**10/06/2025**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**Intus**
CODE:	**1817-1**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Intus Windows, LLC **2720 Prosperity Avenue, 400-1** **Fairfax, VA 22031**	**Series "NextGen"** **uPVC Sliding Glass Door** Configuration: XO Glazing: IG - 1/4" Tempered Glass/5/32" Annealed Glass/0.090" Sentry-Glas Interlayer/5/32"Annealed Glass Frame: W-3099mm(122") H-2438mm(96") Panel: W-1527mm(60.13") H-2321mm(91.38") DLO: W-1346mm(53") H-2134mm(84")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-22 **ASTM E1886-19** **ASTM E1996-23** **TAS 201/202/203-94**	**Class AW-PG70 3100 x 2438 (122 x 96)-SD** **Design Pressure: ±3360 Pa (±70 psf)** **Water Penetration Resistance Test Pressure: 720 Pa (15.04 psf)** **Wind Zone 4 - Missile Level D** **Large Missile Impact Rated**

Product Tested By: Molimo, LLC
Report No: 29852.01-106-11/29853.01-106-13/29853.02-106-13
Expiration Date: **December 31, 2028**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com