

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014830-R2
DATE: 04/27/2020
CERTIFICATION PROGRAM: Structural
COMPANY: Lippert
CODE: 206-1
REVISION DATE: 09/18/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Lippert Components, Inc. 5001 North Graham Street Charlotte, NC 28269	Series “7350 NC/7380 REP Impact PD2” Vinyl Sliding Glass Door (New Construction & Replacement) Configuration: XO Glazing: IG-3/16" Tempered Glass/1/8" Annealed Glass/0.090" DuPont SGP Interlayer/1/8" Annealed Glass Frame: W-2438mm(96") H-2438mm(96") Panel: W-1219mm(48") H-2362mm(93") DLO: W-1022mm(40.25") H-2162mm(85.13")

SPECIFICATION	PRODUCT RATING
AAMA 506-11 ASTM E1886-05/E1996-12 AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08	Class LC-PG50 2438 x 2438 (96 x 96)-SD Design Pressure: ±2400 Pa (50 psf) Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf) Canadian Air Infiltration/Exfiltration Level: A3 Wind Zone 3 - Missile Level D

Product Tested By: Intertek, PLC
Report No: F9932.05-501-44/F9932.06-501-44
Expiration Date: April 30, 2028

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023