# NOTICE OF PRODUCT CERTIFICATION

**CERTIFICATION NO:** NI016873
**DATE:** 01/07/2026
**CERTIFICATION PROGRAM:** Structural
**COMPANY:** Pella
**CODE:** 1735-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION |
|---|---|
| **Pella Corporation**<br>**102 Main Street**<br>**Pella, IA 50219** | **Flush Glazed Fiberglass Inswing Fiberglass Side-Hinged Door Assembly w/Sidelites**<br>Configuration: OXXO<br>Glazing: IG-5/32" Tempered Glass/1/8" Heat Strengthened Glass/0.090" Kuraray Trosifol PVB Interlayer/1/8" Heat Strengthened Glass<br>Frame: W-3785mm(149") H-2080mm(81.88")<br>Panel: W-908mm(35.75") H-2013mm(79.25")<br>DLO: W-635mm(25") H-1600mm(63") |

| SPECIFICATION | PRODUCT RATING |
|---|---|
| **ASTM E330-14**<br>**ASTM E283-04**<br>**ASTM E331-00**<br>**TAS 202-94**<br>**(Limited Water)**<br>**TAS 201/203-94** | **Positive Design Pressure: 55 psf**<br>**Negative Design Pressure: 60 psf**<br>**Water Penetration Resistance Test Pressure: 0 psf**<br>**Large Missile Impact Rated** |

Product Tested By: American Test Lab, Inc. (ATLNC)
Report No: ATLNC 0604.01-24/W-1842/W-1878/W-1972/W-2107
Expiration Date: **January 31, 2030**

Administrator's Signature:


**NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.**
**4794 George Washington Memorial Highway**
**Hayes, VA 23072**
**Tel: (804) 684-5124**
**nami@namiinc.com**