

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016686.01
DATE: 04/01/2026
CERTIFICATION PROGRAM: Structural
COMPANY: Lippert
CODE: 206-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Lippert Components, Inc. 5001 North Graham Street Charlotte, NC 28269	Series "3930 Replacement/3950 NC/ 3955 NC no-J Impact SH" Vinyl Single Hung Window (New Construction & Replacement) Configuration: O/X Glazing: IG: Ext. 1/8" Annealed Glass/Int. 1/8" Annealed Glass/0.090" Saflex PVB Interlayer/1/8" Annealed Glass Frame: W-1016mm(40") H-1829mm(72") Sash: W-962mm(37.88") H-895mm(35.25") DLO: W-892mm(35.13") H-829mm(32.63")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 ASTM E1886-19 ASTM E1996-20	Class R-PG50 1016 x 1829 (40 x 72)-H Design Pressure: +50/-50 psf Water Penetration Resistance Test Pressure: 360 Pa (7.52psf) Canadian Infiltration/Exfiltration Level: A3 Missile Level D - Wind Zone 3

Product Tested By: Molimo, LLC
Report No: 30769.04-109-11
Expiration Date: March 31, 2030

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023