



AAMA CERTIFICATION PROGRAM
An FGIA Product Certification Program

AUTHORIZATION FOR PRODUCT CERTIFICATION

Simonton Windows
1 Cochrane Dr.
Pennsboro, WV 26415

This authorization is based on the successful completion of tests and the reporting to the AAMA Validator of the results of the tests by an AAMA Accredited Laboratory. The product information below will be added to the next update of the AAMA Certified Products Directory.

SPECIFICATIONS		RECORD OF PRODUCT TESTED			
AAMA/WDMA/CSA 101/I.S.2/A440-11 R-PG50*-1842x1880 (73x74)-H	AAMA 506				
COMPANY AND CODE	Missile Level: C Rating: +50/-50, 73x74 Wind Zone: 2	CPD NO.	SERIES MODEL & PRODUCT DESCRIPTION	MAXIMUM SIZE TESTED	
Simonton Windows Code: SIM	Rating above conforms to requirements of: ASTM E1886 and E1996	8471	42-19 TWIN DH (PVC)(X/X.X/X)(OG) (INS 0.060" PVB LAM GL) (MODIF)(REINF)(TILT)(ASTM)	<u>FRAME (mm)</u> 1842 x 1880 (73" x 74")	<u>VENT (mm)</u> 860 x 940 (34" x 37")

This Certification will expire **October 5, 2029 (extended from October 5, 2024 per AAMA 103-19)** and requires validation until then by continued listing in the current AAMA Certified Products Directory.

Structural Test & Report By:

Architectural Testing, Inc.

Report No.: **A4522.01-501-47**

Date of Reports: **October 15, 2010**

Date Tests Completed: **October 5, 2010**

Missile Impact Test & Report By:


Architectural Testing, Inc.

Report No: **B7881.01-501-47**


Date of Report: **March 29, 2012 (Revised June 11, 2012)**

Date Test Completed: **March 14, 2012**

Evaluated for Certification: **June 14, 2024**


Associated Laboratories, Inc.

Authorized for Certification: **June 14, 2024**



Fenestration and Glazing Industry Alliance
1900 East Golf Road Schaumburg, IL 60173



(Validator / Operations Administrator)