

NOTICE OF PRODUCT CERTIFICATION



Company: Masonite International Corporation
1955 Powis Road
West Chicago, IL 60185

Certification No.: NI006591.01-R3
Certification Date: 06/14/2006
Expiration Date: 12/31/2026
Revision Date: 11/14/2023

Product: Metal-Edge Impact Rated Steel Door w/Hollow Metal Steel Frame

Specification: TAS 201/202/203-94/ASTM E330

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

Configuration	Inswing or Outswing	Glazed or Opaque	Maximum Size	Structural Design Pressure	Water Test Pressure	Missile Impact Rated	Test Report Number Drawing Number & Comments
X Single	I/S	Opaque	3'0" x 6'8"	+80/-80	2.86 psf	Yes	NCTL-210-1915-1,2,3/W-1961 Anchor Details-MA-FL0150-06
X Single	O/S	Opaque	3'0" x 6'8"	+80/-80	8.25 psf	Yes	NCTL-210-1861-1,2,3,7,8,9/W-1961 Anchor Details-MA-FL0150-06

National Accreditation & Management Institute, Inc./4794 George Washington Memorial Highway/Hayes, VA 23072
Tel: (804) 684-5124/nami@namiinc.com

NAMI AUTHORIZED SIGNATURE: _____