

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012682.01-R7
DATE: 02/15/2015
CERTIFICATION PROGRAM: Structural
COMPANY: YKK AP America
CODE: 860-1
REVISION DATE: 06/16/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
YKK AP America, Inc. 101 Marietta Street NW, Suite 2100 Atlanta, GA 30303	Precedence® Double Hung Vinyl Window Configuration: X/X Glazing: Insulating Glass (Annealed) Frame: W-1105mm(43.5") H-2019mm(79.5") Sash: W-1034mm(40.72") H-964mm(37.94") DLO: W-745mm(29.34") H-816mm(32.13")

SPECIFICATION	PRODUCT RATING
ASTM E283-04(2012) ASTM E330-02/14 ASTM 547-00	Design Pressure: ±2400 Pa (±50 psf) Water Penetration Resistance Test Pressure: 359 Pa (7.5 psf)

Product Tested By: Hurricane Testing Laboratory
Report No: G231-0702-08 (Specimen 3)/W-2075/W-2117/W-2119/W-2179 /W-2190/W-2194
Expiration Date: **December 31, 2030**

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023