

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013208.04-R5
DATE: 08/30/2023
CERTIFICATION PROGRAM: Structural
COMPANY: YKK AP America
CODE: 860-1
REVISION DATE: 06/17/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
YKK AP America, Inc. 101 Marietta Street NW, Suite 2100 Atlanta, GA 30303	StyleView® Double Hung Vinyl Window Configuration: X/X Glazing: Insulating Glass (Annealed) Frame: W-1016mm(40") H-1880mm(74") Sash: W-933mm(36.72") H-931mm(36.65") DLO: W-847mm(33.34") H-845mm(33.27")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11	Class R-PG50 1016 x 1880 (40 x 74)-H Design Pressure: ±2400 Pa (±50 psf) Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf)

Product Tested By: Architectural Testing, Inc.
Report No: F6178.02-550-44/W-2075/W-2119/W-2128/W-2179 /W-2190/W-2194
Expiration Date: **December 31, 2030**

Administrator's Signature: 

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com

NOPC-03/30/2023