

# Hallmark® Certificate of Conformance and License (CCL)



AMS, INC.  
Administrative Management  
Systems, Inc.

Kolbe & Kolbe Millwork Co.  
1323 South 11th Avenue  
Wausau, WI 54401

Mfr ID: 413


For more Information visit [www.amscert.com](http://www.amscert.com)


Website: [www.kolbewindows.com](http://www.kolbewindows.com)

TEL:

| Product No.   | Product Name                                                                    | Standard          | Rating                                                                                                                                                                                                                  | Wide   | High   | Test Report #          | CertDate  | ExpDate    |
|---------------|---------------------------------------------------------------------------------|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------|------------------------|-----------|------------|
| 413-H-1231.27 | Ultra Double Hung Direct Set Transom mulled UED4D (UDHDS/URDHDS) SP (R&D 18115) | 101/I.S.2/A440-17 | Class CW-PG70; Size Tested 1219mm x 1524mm * Type-FW; DP +70/-75 psf; Water Test Press 510Pa (10.65psf); Can. Air Infil/Exfil. Level=Fixed                                                                              | 1219mm | 1524mm | ESP029830P-2384 Rev. A | 2/11/2019 | 10/17/2028 |
| 413-H-1231.30 | Ultra Double Hung Direct Set Transom mulled UED4D (UDHDS/URDHDS) SP (R&D 18115) | 101/I.S.2/A440-17 | Class CW-PG70; Size Tested 1524mm span/1219mm tributary width (60 in. span/48 in. trib width) Type-MA Vertical Combination Mull; DP +70/-75 psf; Water Test Press 510Pa (10.65psf); Can. Air Infil/Exfil. Level=Fixed   | 1219mm | 1524mm | ESP029830P-2384 Rev. A | 2/11/2019 | 12/3/2028  |
| 413-H-1231.47 | Ultra Double Hung Direct Set Transom mulled UED4D (UDHDS/URDHDS) SP (R&D 18115) | AAMA 450-10       | Class CW-PG70; Size Tested 1524mm span/1219mm tributary width (60 in. span/48 in. trib width) Type-MA (Combination Vertical Mull); DP +70/-75 psf; Water Test Press 510Pa (10.65psf); Can. Air Infil/Exfil. Level=Fixed | 1219mm | 1524mm | ESP029830P-2384        | 10/7/2019 | 12/3/2028  |

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By:  John McFee, VP of Certification Programs, WDMA Hallmark

By:  Lucas L. Wenzel, Authorized Representative, AMS

Program Sponsor:  
Window and Door Manufacturers Assoc  
330 N. Wabash Avenue, Suite 2000  
Chicago, IL 60611  
TEL (312)673-4828 [www.wdma.com](http://www.wdma.com)

Program Administrator:  
Administrative Management Systems, Inc.  
PO Box 730, 205 West Main  
Sackets Harbor, NY 13685  
TEL (315)646-2234 [staff@amscert.com](mailto:staff@amscert.com)