

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI009526-R7
DATE: 07/18/2008
CERTIFICATION PROGRAM: Structural
COMPANY: YKK
CODE: 860-1
REVISION DATE: 10/25/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
YKK AP America, Inc. 101 Marietta Street NW, Suite 2100 Atlanta, GA 30303	StyleGuard® Fixed Vinyl Window Configuration: O Glazing: IG-1/8" Annealed Glass/Laminate-3/16" Heat Strengthened Glass/0.090" Solutia Saflex PVB Interlayer/1/8" Annealed Glass Frame: W-1270mm(50") H-1981mm(78") DLO: W-1137mm(44.75") H-1848mm(72.75")

SPECIFICATION	PRODUCT RATING
ASTM E1886-05/E1996-05 TAS 201/202/203-94	Design Pressure: +50/-50 psf Wind Zone 4-Missile Level D Large Missile Impact Rated Water Penetration Resistance Test Pressure: 359 Pa (7.5 psf)

Product Tested By: Hurricane Testing Laboratory, LLC
Report No: 0231-0317-06/30/31/32/33/W-2087
Expiration Date: December 31, 2027

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com

NOPC-03/30/2023