

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014587.10
DATE: 08/08/2025
CERTIFICATION PROGRAM: Structural
COMPANY: YKK AP America
CODE: 860-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
YKK AP America, Inc. 101 Marietta Street NW, Suite 2100 Atlanta, GA 30303	Style View® Geometric Fixed Vinyl Window Configuration: O Glazing: Insulating Glass (Annealed) Frame: W-1359mm(53.50") H-2121mm(83.50") DLO: W-1257mm(49.50") H-2019mm(79.50")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-22 AAMA/WDMA/CSA 101/I.S.2/A440-17	Class R-PG50 1359 x 2121 (54 x 84)-FW Design Pressure: ±2400 Pa (±50 psf) Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf)

Product Tested By: Molimo, LLC
Report No: 31105.02-106-11
Expiration Date: **June 30, 2029**

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "Shi D".

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023