NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI009526.02-R2**
DATE:	**11/19/2024**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**YKK**
CODE:	**860-1**
REVISION DATE:	**07/28/2026**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
YKK AP America, Inc. **101 Marietta Street NW, Suite 2100** **Atlanta, GA 30303**	**StyleGuard®** **Fixed Vinyl Window** Configuration: O Glazing: IG-1/8" Annealed Glass/Laminate-1/8" Annealed Glass/0.090" Solutia Saflex PVB Interlayer/1/8" Annealed Glass Frame: W-1270mm(50") H-1854mm(73") DLO: W-1137mm(44.75") H-1848mm(67.75")

SPECIFICATION	PRODUCT RATING
ASTM E1886-05/13a/19 **ASTM E1996-05/17/23** **TAS 201/202/203-94**	**Design Pressure: +50/-50 psf** **Wind Zone 4-Missile Level D** **Large Missile Impact Rated** **Water Penetration Resistance Test Pressure: 359 Pa (7.5 psf)**

Product Tested By: Hurricane Testing Laboratory, LLC
Report No: 0231-0317-06/30/31/32/33/W-2087/W-2138/W-2200
Expiration Date: **December 31, 2030**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com