

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013198.01-R7
DATE: 03/16/2017
CERTIFICATION PROGRAM: Structural
COMPANY: YKK AP America
CODE: 860-1
REVISION DATE: 05/28/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
YKK AP America, Inc. 101 Marietta Street NW, Suite 2100 Atlanta, GA 30303	StyleView® Fixed Transom Vinyl Window Configuration: OOO Glazing: Insulating Glass (Annealed) Frame: W-2731mm(107.5") H-597mm(23.5") DLO: W-841mm(33.09") H-530mm(20.87")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17	Class R-PG50 2731 x 597 (108 x 24)-FW Design Pressure: ±2400 Pa (50 psf) Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf)

Product Tested By: Architectural Testing, Incorporated
Report No: G3288.02-550-44/F3782.06-550-44/W-1917/W-1954/W-2179 /W-2190
Expiration Date: December 31, 2030

Administrator's Signature: 

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com

NOPC-03/30/2023