NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI014587.10-R2**
DATE:	**08/08/2025**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**YKK AP America**
CODE:	**860-1**
REVISION DATE:	**05/26/2026**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
YKK AP America, Inc. **101 Marietta Street NW, Suite 2100** **Atlanta, GA 30303**	**Style View®** **Geometric Fixed Vinyl Window** Configuration: O Glazing: Insulating Glass (Annealed) Frame: W-1359mm(53.50") H-2121mm(83.50") DLO: W-1257mm(49.50") H-2019mm(79.50")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-22 **AAMA/WDMA/CSA 101/I.S.2/A440-17**	**Class R-PG50 1359 x 2121 (54 x 84)-FW** **Design Pressure: ±2400 Pa (±50 psf)** **Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf)**

Product Tested By: Molimo, LLC
Report No: 31105.02-106-11/W-2179 /W-2190
Expiration Date: **June 30, 2030**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com