

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI006799.01-R2
DATE: 11/11/2006
CERTIFICATION PROGRAM: Structural
COMPANY: Masonite
CODE: 703-1
REVISION DATE: 09/16/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Masonite International Corporation 1955 Powis Road West Chicago, IL 60185	Series "Transom/Fixed" Wood/PVC Composite Fixed Window Configuration: O Glazing: Insulating Glass (Tempered) Frame: W-2438mm(96") H-686mm(27") DLO: W-2388mm(94") H-641mm(25.25")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA 101/I.S.2/NAFS-02	Class R-PG70 2438 x 686 (96 x 27)-TR TR-R70 2438 x 686 (96 x 27) Design Pressure: ±3352 Pa (70 psf) Water Penetration Resistance Test Pressure: 540 Pa (11.25 psf)

Product Tested By: Architectural Testing, Inc.
Report No: ATI-010-47016.01/W-1970
Expiration Date: December 31, 2029

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "Shi".

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023