

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI006545.10-R14
DATE: 01/04/2008
CERTIFICATION PROGRAM: Structural
COMPANY: YKK AP America
CODE: 860-1
REVISION DATE: 06/16/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
YKK AP America, Inc. 101 Marietta Street NW, Suite 2100 Atlanta, GA 30303	StyleView® Twin Single Hung Vinyl Window Configuration: O/X//O/X Glazing: Insulating Glass (Annealed) Frame: W-1816mm(72") H-2019mm(80") Sash: W-831mm(32.70") H-1005mm(39.40")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17	Class R-PG35 1816 x 2019 (72 x 80)-H Design Pressure: 1680 Pa (±35 psf) Water Penetration Resistance Test Pressure: 360 Pa (7.50 psf)

Product Tested By: Hurricane Testing Laboratory, LLC
Report No: 0231-0703-05/G231-1102-07 Spec. 1/F3782.03-550-44/W-1648/W-1917/W-1954/W-1955/W-2119/W-2128/W-2179 /W-2190/W-2194
Expiration Date: **December 31, 2030**

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "Shi".

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com

NOPC-03/30/2023