

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013196.03-R7
DATE: 04/04/2018
CERTIFICATION PROGRAM: Structural
COMPANY: YKK AP America
CODE: 860-1
REVISION DATE: 06/16/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
YKK AP America, Inc. 101 Marietta Street NW, Suite 2100 Atlanta, GA 30303	StyleView® Single Hung Vinyl Window Configuration: O/X Glazing: Insulating Glass (Annealed) Frame: W-902mm(35.5") H-1918mm(75.5") Sash: W-831mm(32.71") H-925mm(36.43")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11	Class R-PG50 902 x 1918 (36 x 76)-H Design Pressure: ±2400 Pa (50 psf) Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf)

Product Tested By: HTL/Architectural Testing, Incorporated
Report No: G231-0503-09/F3782.03-550-44/F6178.01-550-44/W-2075/W-2119/W-2128/W-2179 /W-2190/W-2194
Expiration Date: **December 31, 2030**

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com

NOPC-03/30/2023