

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013196.18-R5
DATE: 09/06/2023
CERTIFICATION PROGRAM: Structural
COMPANY: YKK AP America
CODE: 860-1
REVISION DATE: 06/16/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
YKK AP America, Inc. 101 Marietta Street NW, Suite 2100 Atlanta, GA 30303	StyleView® Single Hung Vinyl Window Configuration: O/X Glazing: Insulating Glass (Annealed) Frame: W-902mm(35.50") H-1918mm(75.50") Sash: W-800mm(31.50") H-953mm(37.50") DLO: W-745mm(29.34") H-865mm(34.06")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17	Class R-PG35 902 x 1918* (36 x 76*)-H Design Pressure: ±1680 Pa (±35 psf) Water Penetration Resistance Test Pressure: 360 Pa (7.5 psf)

Product Tested By: Intertek, PLC
Report No: N0622.02-550-44/G231-1102-07/W-2119/W-2128/W-2179/W-2190/W-2194

Expiration Date: **December 31, 2030**

A handwritten signature in black ink, appearing to be "S. D." or similar.

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124

