

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012075.02-R8
DATE: 08/08/2014
CERTIFICATION PROGRAM: Structural
COMPANY: YKK AP America
CODE: 860-1
REVISION DATE: 06/16/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
YKK AP America, Inc. 101 Marietta Street NW, Suite 2100 Atlanta, GA 30303	Precedence® Single Hung Vinyl Window Configuration: O/X Glazing: Insulating Glass (Annealed) Frame: W-1207mm(47.5") H-2019mm(79.5") Sash: W-1137mm(44.75") H-1003mm(38.75") DLO: W-1048mm(41.25") H-914mm(36")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11	Class R-PG35 1207 x 2019 (47 x 79)-H Design Pressure: 1676 Pa (35 psf) Negative Design Pressure: 1676 Pa (35 psf) Water Penetration Resistance Test Pressure: 360 pa (7.50 psf)

Product Tested By: Architectural Testing Incorporated
Report No: D9107.01-550-47/W-2117/W-2119/W-2179 /W-2190/W-2194
Expiration Date: December 31, 2030

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023