

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011578-R3
DATE: 06/11/2013
CERTIFICATION PROGRAM: Structural
COMPANY: Shwinco
CODE: 1972-1
REVISION DATE: 04/18/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Shwinco Architectural Products, LLC 171 Jet Services Way Dothan, AL 36303	Series "9000" Impact Rated Vinyl Single Hung Window (Flange Installation) (Standard Sill Riser) Configuration: O/X Glazing: IG-Ext-1/8" Annealed Glass/ Int-Laminate-1/8" Annealed Glass/0.090" Interlayer by Solutia/1/8" Annealed Glass Frame: W-930mm(36.63") H-1880mm(74") Sash: W-813mm(32") H-841mm(37.25")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: +100/-120 psf Large Missile Impact Rated

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-3850-02
Expiration Date: **December 31, 2026**

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "Shwinco".

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023