

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI008041-R7
DATE: 05/15/2007
CERTIFICATION PROGRAM: Structural
COMPANY: Sun-Tek
CODE: 225-1
REVISION DATE: 01/21/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Sun-Tek Manufacturing, Inc. 10303 General Drive Orlando, FL 32824	Series "SFA" Fixed Aluminum Polycarbonate Dome Skylight Configuration: O Glazing: Exterior Panel-0.050" Polycarbonate/ Interior Panel-0.030" Polycarbonate Opening: W-572mm(22.5") H-775mm(30.5")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-08 AAMA/WDMA/CSA 101/I.S.2/A440-05	Class R-PG70 572 x 775 (22 x 30)-SKP/RW SKP/RW-R70 572 x 775 (22 x 30)

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-3409-3/W-1683
Expiration Date: March 31, 2027

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023