NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI008088.02-R10**
DATE:	**06/03/2007**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**WiWinTech**
CODE:	**583-1**
REVISION DATE:	**01/09/2023**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
ViWinTech Windows and Doors **2400 Irvin Cobb Drive** **Paducah, KY 42003-0588**	**Series "SL 3100 i PW 7872" Impact** **Rated Vinyl Fixed Prime Window** Configuration: O (Flush Mount) Glazing: IG-3/16" Annealed Glass/Laminate-3/16" Annealed Glass/0.090" DuPont Sentryglas® Plus/3/16" Annealed Glass Frame: W-1980mm(78") H-1830mm(72") DLO: W-1835mm(72.25") H-1690mm(66.5")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-05 **TAS 201/202/203-94**	**FW-R60 1980 x 1830 (78 x 72)** **Design Pressure: +60/-60 psf** **Large Missile Impact Rated**

Product Tested By: National Certified Testing Laboratories, Inc.
Report No: NCTL-110-10728-27/110-10728-26
Expiration Date: **May 31, 2026**

Administrator's Signature:_____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com