

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI008081-R9
DATE: 06/03/2007
CERTIFICATION PROGRAM: Structural
COMPANY: WiWinTech
CODE: 583-1
REVISION DATE: 01/09/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
ViWinTech Windows and Doors 2400 Irvin Cobb Drive Paducah, KY 42003-0588	Series "SL 5100 i DH 5275" Tilt Impact Rated Vinyl Double Hung Prime Window Configuration: X/X Glazing: IG-1/8" Annealed Glass/Laminate-1/8" Annealed Glass/0.090"Dupont Butacite® PVC/ 1/8" Annealed Glass Frame: W-1320mm(52") H-1900mm(75") Sash: W-1250mm(49.25") H-930mm(36.63")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-05 ASTM E1886-05/E1996-04 TAS 201/202/203-94	H-R70 1320 x 1900 (52 x 75) Wind Zone 4-Missile Level D Design Pressure: +70/-70 psf Large Missile Impact Rated

Product Tested By: National Certified Testing Laboratories, Inc.
Report No: NCTL-110-10728-1/110-10728-2/110-10728-3
Expiration Date: April 30, 2026

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com