

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013312.01-R2
DATE: 07/21/2016
CERTIFICATION PROGRAM: Structural
COMPANY: Simpson
CODE: 1145-1
REVISION DATE: 01/21/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Simpson Door Company 400 Simpson Ave. McCleary, WA 98557	Series "7901" Wood Outswing Side-Hinged Door Configuration: X Glazing: IG-1/8" Tempered Glass/1/8" Annealed Glass/0.090 Kuraray Butacite PVB Interlayer/1/8" Annealed Glass Frame: W-959mm(37.76") H-2073mm(81.61") Panel: W-914mm(36") H-2032mm(80") DLO: W-684mm(26.93") H-1702mm(67.01")

SPECIFICATION	PRODUCT RATING
ASTM E283-04/E547-00/E330-02 ASTM E1886-05/E1996-09	Design Pressure: ± 2640 Pa (55 psf) Water Penetration Resistance Test Pressure: 140 Pa (2.86 psf) Wind Zone 4 - Missile Level D

Product Tested By: Construction Consulting Laboratory, International
Report No: CCLI-16-003
Expiration Date: March 31, 2031

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/31/2023