



SHEET LEGEND	
Sheet: 1 of 2	PRIMARY
Sheet: 2 of 2	Revision History

Unit Configuration	Max Panel Size	DP Rating
STATIONARY	37 1/8 X 90 35/64	+30/-30
OPERATOR	37 3/8 X 90 35/64	+30/-30



TOP VIEW
SCALE 1 : 9

CATEGORY:
BIFOLD DOOR,

UNIT TYPE:
ELBFLD, NBFLD, VNBFLD

5	00003285	#8-18X1.500" TYPE A/ AB, FULL THREAD
4	00003228	#8-15 X 2.500" TYPE A/TF, 2/3 THREAD
3	00101249	1/4 X 3 1/8" WASHER HEAD SCREW
2	00003264	#8-18 X 3.000" TYPE AB, FULL THREAD
1	00127401	UNIT
ITEM	DWG NO	DESCRIPTION
PARTS LIST		

- NOTES:**
- 1. FOR GENERAL SPECIFICATIONS, REFER TO DOC 00003952
 - 2. FOR INSTALLATION METHOD, REFER TO DOC 00127403
 - 3. JAMB AND HEAD JAMB FASTENER HOLES ARE PRE-DRILLED
 - △ 4. SCREWS ARE LOCATED IN PRE-DRILLED HOLES IN THE HEAD JAMB HEADER TRACK
 - △ 5. SCREWS ARE LOCATED IN PRE-DRILLED HOLES IN THE JAMBS
 - △ 6. SILL SCREWS ARE LOCATED THROUGH PRE-DRILLED HOLES IN THE SILL LEG
 - △ 7. SCREWS ARE LOCATED IN PRE-DRILLED HOLES IN HEAD JAMB STOP
 - 8. NBFLD 3L1R UNIT SHOWN
 - △ 9. THRU BOTTOM PIVOT
 - 10. IF CHEMICALLY TREATED LUMBER IS USED FOR A BUCK MATERIAL, FASTENERS INTO THE BUCK MUST BE A MINIMUM OF 0.90 OZ/FT^2 ZINC HOT DIPPED GALVANIZED OR STAINLESS STEEL TYPE 304 OR 316

3	ADDED VIVID USAGE	27638	03/12/2025	MAF
2.1	UPDATED DIMENSION FROM 9.529 TO 9.5, ADDED DP RATING TABLE, ADD VIEW TO SHOW INSTALLATION SCREWS	27207	07/17/23	AAA
REV	DESCRIPTION / REQUESTOR	ECN NO	DATE	REV BY

MARVIN  RESEARCH & DEVELOPMENT				
COLLECTION: ELEVATE, INFINITY, VIVID				
DWG TYPE: INSTALLATION DESCRIPTION: INSTALLATION ELEVATION, THROUGH JAMB				
SHEET NAME: PRIMARY (1 OF 2)				
CHK: CLE 08/21/2025	SIZE: B	CLASS: ASSY	DWG NO: 00127402	REV: 3
APP: JHS 08/25/2025	SCALE: 1 : 15	DATE: 1/24/2021	DWG BY: MCKENZIE, ZACH	

REVISION HISTORY

DWG NO: 00127402

REVISION HISTORY - LEGACY				
REV	DESCRIPTION / REQUESTOR	ECN NO	DATE	REV BY
0.0	ORIGINAL ISSUE	23655	2021-02-0 1T00:00:0 0.000	AJE

NOTICE - CONFIDENTIAL INFORMATION

The information in this document is privileged and strictly confidential. The information contained herein shall be used only by Marvin employees and by those agents or suppliers granted official written permission. If the reader of this document is not the intended recipient, or the employee or agent of the intended recipient, please delete this document from all data storage devices, and destroy all hard copies. Any unauthorized dissemination, distribution, copying or other use of the information contained in this document is strictly prohibited.