



NAIL FIN INSTALLATION



NAILING FIN INSTALLATION IS APPROVED FOR ALL ESSPD CONFIGURATIONS. FL 10248

STRUCTURAL BRACKET INSTALLATION



STRUCTURAL BRACKET INSTALLATION IS APPROVED FOR ALL ESSPD CONFIGURATIONS. FL 10248

NOTES:

- 1. FOR GENERAL SPECIFICATIONS, REFER TO DOC 00003952
- 2. THIS PRINT IS FOR STRUCTURAL PERFORMANCE ONLY. FOR FLASHING AND SEALING INSTRUCTIONS REFER TO THE INSTALLATION INSTRUCTIONS
- 3. INSTALLATION SCREWS:
 - 8-0 HEIGHTS - 3 IN STATIONARY JAMB
 - XOO/OOX UNITS - 4 IN HEADER, 1 IN SILL
 - OXO UNITS - 3 IN HEADER, 2 IN SILL
- 4. FOR STRUCTURAL BRACKETS, REFER TO DOCS 00038223 AND 00040437
- 5. FOR METHODS, REFER TO PAGE 1 OF 2, DOC 00053679
- 6. GLASS COMPLIES WITH ASTM E1300

CATEGORY:
SLIDING PATIO DOOR

UNIT TYPE:
ESSPD

UNIT	MAX FRAME SIZE	DP RATING
ESSPD OX/XO	71-1/2 X 81-1/2	+30/-30
ESSPD OX/XO	71-1/2 X 95-1/2	+30/-30
ESSPD OX/XO	95-1/2 X 81-1/2	+30/-30
ESSPD OX/XO	95-1/2 X 95-1/2	+25/-25
ESSPD OOX/XOO	107-1/2 X 81-1/2	+30/-30
ESSPD OXO	107-1/2 X 81-1/2	+30/-30
ESSPD OOX/XOO	107-1/2 X 95-1/2	+30/-30
ESSPD OXO	107-1/2 X 95-1/2	+30/-30

5	NA	3/16" X 2-3/4" MASONRY SCREW
4	00003237	#8 X 1-1/2" PH, PH, AS THREAD
3	00003264	#8 X 3" PH, PH SCREW
2	NA	2" GALVANIZED ROOFING NAIL
1	NA	STRUCTURAL BRACKET
ITEM	DWG NO	DESCRIPTION

PARTS LIST

MARVIN RESEARCH & DEVELOPMENT				
COLLECTION: ESSENTIAL				
DWG TYPE: INSTALLATION				
DESCRIPTION: INSTALLATION ELEVATIONS, NAIL FIN/STRUCTURAL BRACKET, FL 10248				
CHK:	AJE	SIZE:	CLASS:	DWG NO:
06/13/24		B	MISC	00053754
APP:	MK	SCALE:	DATE:	DWG BY:
06/13/24		1/18	1/15/2008	WAGNER, MICHAEL
				SHEET:
				1 OF 1

10.1	ADDED SIZES TABLE / ADDED NOTE 6	PEND	06/13/24	JAJ
REV	DESCRIPTION / REQUESTOR	ECN NO	DATE	REV BY