



THRU JAMB - 14° SILL
INSTALLATION




WOOD FRAME SECTION (TYP)
HORIZONTAL SECTION

NOTE: Gasket between Jamb & Wood Opening.



WOOD FRAME SECTION (TYP)
VERTICAL SECTION

NOTE: Gasket between Jamb & Wood Opening.



TYPICAL ELEVATION WITH FASTENER SPACING

- Installed Fastener Schedule:**
1. All windows: install corrosion resistant #8 fasteners no more than 4" from each corner and 16" o.c. through pre-drilled in the side jambs of the window.
 2. Fasteners must be long enough to penetrate at least 1-1/4" into framing members.

- General Notes:**
1. The product shown herein is designed and manufactured to comply with the current edition of the Florida building code.
 2. Buck, framing and masonry by others and is responsibility of architect or engineer of record
 3. All glazing shall conform to ASTM E1300.
 4. At minimum, glazing shall be single strength annealed insulating glass.

OPERATING POCKET DH WINDOW			
Max Frame	DP	IMPACT	
37 3/8 x 78 3/8	+/-50	NO	

This schedule addresses only the fasteners required to anchor the window to achieve the rated design pressure and impact performance (where applicable) up to the size limitations noted. It is not intended as a guide to the installation process and does not address the sealing consideration that may arise in different wall conditions. For the complete installation procedure, see the instructions packaged with the window or go to www.jeld-wen.com/resources/installation.

DISCLAIMER:
This drawing and its contents are confidential and are not to be reproduced or copied in whole or in part or used or disclosed to others except as authorized by JELD-WEN Inc.

"AS TESTED"

PROJECT ENGINEER:		DATE:	3737 LAKEPORT BLVD.	
J. HAWKINS		2/20/13	KLAMATH FALLS OR, 97601	
DRAWN BY:		SCALE:	PHONE: (541) 882-3451	
J. HAWKINS		NTS		
CHECKED BY:		TITLE:	Custom Clad Pocket Double Hung (Concealed Tilt Latch)	
D. STOKES			Thru Jamb Installation (37-3/8" x 78-3/8")	
APPROVED BY:				
D. YAGLA				
PART/PROJECT No.:				
D008596				
IDENTIFIER No.:		PLANT NAME AND LOCATION:	CAD DWG. No.:	REV. SHEET
SIW2013-086		Bend-OR	CUSTCLPKTDH Gert	NULL