









[illegible]

BUTLERIB LITE*PANLS			OPERATION CODE
VARIABLE LENGTH	BRLP___	SQUARE CC2	35
	BRLP___	SQUARE CC1	35
	BRLP___	THRU 1:12 MITER CC2	EE
	BRLP___	THRU 1:12 MITER CC1	EE
	BRLP___	4:12 MITER CC2	FF
	BRLP___	4:12 MITER CC1	FF



GENERAL NOTES:

1. ALL SPLICES MUST BE AT GIRT. IF NOT AT A STANDARD GIRT LOCATION THEN AN ADDITIONAL GIRT MUST BE ADDED.
2. FOR VERTICAL TRANSITION TO OTHER BUTLER WALLS SEE THE APPROPRIATE DRAWING.
3. SEE GENERAL WALL INSTALLATION DRAWINGS FOR REINFORCEMENT CLIP, PANEL CLOSURE PART NUMBERS AND WALL PANEL INSTALLATION PROCEDURES.



BUTLERIB II WALL LITE*PANL INSTALLATION			
DRAWN BY JPV		CHECKED BY BJF	
GROUP NUMBER: 26-029-02			
FIRST REVISION DATE 01/21/10	REVISION DATE 01/11/19	B	P-080889 05