





EXPOSED FASTENER PERFORATED ALUMINUM WALL PANELS

VERTICAL APPLICATION OR HORIZONTAL APPLICATION

FASTENING SCHEDULE

ALL FASTENERS ARE 1/4-14 HEX HEAD W/ 5/8" DIA.
(NOMINAL) COMBINATION WASHERS




Amoruso Consulting Engineering, LLC
FL Registration No. 38327
Robert J. Amoruso, FL P.E. No. 49752
226 N. Nova Rd., #142, Ormond Beach, FL 32174-5124
rjaengpe@gmail.com



Digitally
signed by
Robert J
Amoruso
Date:
2025.08.18
17:03:24
-04'00'

This item has been digitally signed and sealed by Robert
J. Amoruso, PE on the date adjacent to the seal.
Signature must be verified on any electronic copies.



CENTRIA

700 State Highway 121 Bypass, Suite 200, Lewisville, TX 75067
972-221-6656

NBC= NOT BY CENTRIA

				ALUMINUM PERFORATED PROFILES		BY	DATE	CONTRACT No.		
					CUSTOMER: OWNER: PROJECT: LOCATION:	DRAWN	A.K.	03/22/13	N/A	
						CHECKED			DRAWING No.	
						SECTION MANAGER			1 OF 1	
0	EXPOSED FASTENER SS PERFORATED DWGS	AK	03/22/13					0		
ISSUE	DESCRIPTION	BY	DATE							