





SINGLE UNIT W/ 2 SIDELITES (OXO)
SCALE: 1/2" = 1'-0"



SINGLE UNIT (X)
SCALE: 1/2" = 1'-0"

SYSTEM #4 LEFT INSWING/OUTSWING
q8714-18

TABLE 1	
DESIGN PRESSURE RATING	WHERE WATER INFILTRATION REQUIREMENT IS NOT NEEDED
POSITIVE	+50
NEGATIVE	-50

REVISIONS		
REV.	DESCRIPTION	DATE
-	RELEASE TO PRODUCTION/T.M.	08/13/03
A	HOPPE HARDWARE OPTIONAL TO GU	05/14/07
B	ADD BLOCKING AND ANCHOR DIMENSIONS	4/2/08
C	CLARIFICATION OF RADIUS DOOR IDENTIFIED	05/18/10

GENERAL NOTES

- THIS PRODUCT IS DESIGNED TO MEET THE CURRENT FLORIDA BUILDING CODE AND INTERNATIONAL RESIDENTIAL CODE.
- WOOD BUCKS BY OTHERS, MUST BE ANCHORED PROPERLY TO TRANSFER LOADS TO THE STRUCTURE.
- PRODUCT ANCHOR SHALL BE AS LISTED AND SPACED AS SHOWN ON DETAILS. ANCHOR EMBEDMENT TO BASE MATERIAL SHALL BE BEYOND WALL DRESSING OR STUCCO.
- DESIGNED PRESSURE RATING SEE TABLE PAGE 1.
- SIDELITES ARE AN OPTION AND CAN BE IN A. SINGLE OR DOUBLE CONFIGURATION.
- ALL UNITS ON THIS SHEET ARE VIEWED FROM OUTSIDE.
- RADIUS DOOR CONFIGURATIONS MAY BE UTILIZED DUE TO LOCATION PLACEMENT OF HINGES DURING TESTING

BILL OF MATERIALS		
PART NO	DESCRIPTION	QUANTITY
1	(PEMCO) ALUMINUM INSWING SILL	1
2	(PEMCO) OUTSWING SILL	1
3	INSWING HEAD JAMB	MAHOGANY 1
4	OUTSWING HEAD JAMB	MAHOGANY 1
5	INSWING JAMB LEG (LEFT & RIGHT)	2(TL,LR)
6	OUTSWING JAMB LEG (LEFT & RIGHT)	2(TL,LR)
9	#1301 DOOR (42 X 96)	MAHOGANY 1
10	#252 SIDELITE (18 X 96)	MAHO/GLS 2
11	NOT USED	
12	INSWING INTERMEDIATE MULLPOST	MAHOGANY 2
13	OUTSWING INTERMEDIATE MULLPOST	MAHOGANY 2
16	#8 PHILLIPS FLANGED WOOD SCREW W/ 1/4" MIN. EMBEDMENT	BRASS 20
17	#12-2" WOOD SCREWS	BRASS 30
18	#9-1 1/2" WOOD SCREWS	BRASS 35
20	(G-LON) ODS-500 WEATHER STRIP	30 FEET
21	(HAGER) 1 1/2" X 1/2" X 1/2" HINGE	2
22	HOPPE 3 POINT LOCK ASSEMBLY	BRASS/STEEL 3
24	HOPPE 3 POINT LOCK DIMMY KNOB	BRASS/STEEL 3
25	HOPPE 3 POINT LOCK BRASS LEAF	BRASS 1
26	DOOR BOTTOM	BRASS 2
27	FLUSH BOLT	BRASS 1
28	FLUSH BOLT STRIKE PLATE	BRASS 1
29	FLUSH BOLT GUIDE PLATE	BRASS 1
31	13# DENSITY CORE	POLYURETHANE FILLER
32	STILES & RAILS	LVX
33	DOOR SKIN	FIBERGLASS
34	DOOR EDGE BAND	WOOD 2



JELDOWEN.
WINDOWS & DOORS

JWD Custom Door Division

MODEL	8'-0" EXTERIOR DOOR INSWING AND OUTSWING WITH AND W/O SIDELIGHTS	GLASS:	N/A
SIZE	FIBERGLASS		
MATERIAL	FIBERGLASS		
FINISH	UNFINISHED	NOTE:	
DRAWN	JM		
DATE	05/06/2015		D012830
QTY	1	DRAWING#: JWD32004HOPPE	SHEET 1 OF 6

Addendum to NAMI
Certification No:NI005822-R6
Reviewed By: TDM
Date Reviewed: 02/06/2017

REVISIONS		
REV.	DESCRIPTION	DATE
-	RELEASE TO PRODUCTION/T.M.	09/03/04
A	HOPPE HARDWARE OPTIONAL, TO CU	05/14/07
B	ADD BLOCKING AND ANCHOR DIMENSIONS	4/2/08



DETAIL -C
SCALE: 3" = 1'-0"



1 VERTICAL CROSS SECTION, TYP.
2 INSWING DOOR SCALE: 3" = 1'-0"

2 VERTICAL CROSS SECTION, TYP.
2 INSWING SIDELITE SCALE: 3" = 1'-0"

JELD-WEN. WINDOWS & DOORS JW Custom Door Division			
MODEL	SPECIAL DETAILS	GLASS:	N/A
SIZE	D012830		
MATERIAL	FIBERGLASS	D012830	
FINISH	UNFINISHED	NOTE:	INSWING
DRAWN	JM	VERTICAL CROSS SECTION	
DATE	05/06/2015	WOOD INSTALLATION	
QTY	1	DRAWING#:	JW352004HOPPE SHEET 2 OF 6

REVISIONS		DATE
REV.	DESCRIPTION	
-	RELEASE TO PRODUCTION/T.M.	09/03/04
A	HOPE HARDWARE OPTIONAL, TO GU	05/14/07
B	ADD BLOCKING AND ANCHOR DIMENSIONS	4/2/08


REVISIONS		DATE
REV.	DESCRIPTION	
-	RELEASE TO PRODUCTION/T.M.	09/03/04
A	HOPE HARDWARE OPTIONAL, TO GU	05/14/07
B	ADD BLOCKING AND ANCHOR DIMENSIONS	4/2/08



DETAIL - D
SCALE: 3" = 1'-0"

JELDOWEN. WINDOWS & DOORS				
IWPE Custom Door Division				
MODEL	SPECIAL DETAILS	CLASS:	N/A	
SIZE				
MATERIAL	FIBERGLASS			
FINISH	UNFINISHED	NOTE:		
DRAWN	JM			
DATE	05/06/2015	VERTICAL CROSS SECTION WOOD INSTALLATION		
QTY	1	DRAWING#:	JW352004-HOPPE	SHEET 3 OF 6

REVISIONS	
REV.	DATE
–	09/07/04
A	05/14/07
B	4/2/08



			
		WINDOWS & DOORS	
		<i>ITWP Custom Door Division</i>	
MODEL	SYSTEM #5 FRAME	GLASS:	N/A
	DETAILS		
SIZE	111 1/2"x97 3/4"		
MATERIAL	FIBERGLASS		
FINISH	UNFINISHED	NOTE:	
DRAWN	JM	ANCHORING LOCATIONS	
DATE	05/06/2015		
QTY	1	DRAWING#:	JW352004HOPPE
		SHEET	6 OF 6