

DOUBLE UNIT W/ 2 SIDELITES (OXXO)
SCALE: 1/2" =1'-0"



DOUBLE UNIT (XX)
SCALE: 1/2" =1'-0"

SYSTEM #5 RIGHT INSWING/OUTSWING
Q8714-05

Addendum to NAMI
Certification No:NI005825-R7
Reviewed By: TDW
Date Reviewed: 02/06/2017

TABLE I

DESIGN PRESSURE RATING	
WHERE WATER INFILTRATION REQUIREMENT IS NOT NEEDED	
POSITIVE	+50
NEGATIVE	-50

REVISIONS		
REV.	DESCRIPTION	DATE
–	RELEASE TO PRODUCTION/T.M.	09/03/04
A	HOPPE HARDWARE OPTIONAL, TO GU	05/14/07
B	ADD BLOCKING AND ANCHOR DIMENSIONS	4/2/08

GENERAL NOTES

1. THIS PRODUCT IS DESIGNED TO MEET THE CURRENT FLORIDA BUILDING CODE & INTERNATIONAL RESIDENTIAL CODE.
2. WOOD BUCKS BY OTHERS, MUST BE ANCHORED PROPERLY TO TRANSFER LOADS TO THE STRUCTURE.
3. PRODUCT ANCHOR SHALL BE AS LISTED AND SPACED AS SHOWN ON DETAILS. ANCHOR EMBEDMENT TO BASE MATERIAL SHALL BE BEYOND WALL DRESSING OR STUCCO.
4. DESIGNED PRESSURE RATING SEE TABLE PAGE 1.
5. SIDELITES ARE AN OPTION AND CAN BE IN A. SINGLE OR DOUBLE CONFIGURATION.
6. ALL UNITS ON THIS SHEET ARE VIEWED FROM OUTSIDE.

BILL OF MATERIALS

PART NO	DESCRIPTION	MATERIAL	QUANTITY
1	(PEMCO) ALUMINUM INSWING SILL	ALUM/PINE	1
2	(PEMCO) OUTSWING SILL	ALUM/PINE	1
3	INSWING HEAD JAMB	MAHOGANY	1
4	OUTSWING HEAD JAMB	MAHOGANY	1
5	INSWING JAMB LEG (LEFT & RIGHT)	MAHOGANY	2(1L,1R)
6	OUTSWING JAMB LEG (LEFT & RIGHT)	MAHOGANY	2(1L,1R)
7	#200 DOOR (36 X 96)	MAHO/GLS	2(1L,1R)
10	#252 SIDELITE (18 X 96)	MAHO/GLS	2
12	INSWING INTERMEDIATE MULLPOST	MAHOGANY	2
13	OUTSWING INTERMEDIATE MULLPOST	MAHOGANY	2
14	INSWING ASTRAGAL	MAHOGANY	1
15	OUTSWING ASTRAGAL	MAHOGANY	1
16	#8 PHILLIPS FLATHEAD WOOD SCREW W/ 1 1/4" MIN. EMBEDMENT	BRASS	20
17	#12- 2" WOOD SCREWS	BRASS	30
18	#9 WOOD SCREWS MIN 1 1/4" EMBEDMENT	BRASS	35
19	#12- 1" WOOD SCREWS	BRASS	64
20	(Q-LON) QDS-500 WEATHER STRIP	POLYETHYLENE CLAD URETHANE FOAM	36 FEET PER UNIT
21	(Q-LON) QEZ-406	POLYETHYLENE CLAD URETHANE FOAM	38 FEET PER UNIT
22	(HAGER) 4 1/2 X 4 1/2" HINGE	BRASS	4 HINGES PER DOOR
23	HOPPE 3 POINT LOCK ASSEMBLY	BRASS/STEEL	5
24	HOPPE 3 POINT LOCK DUMMY KNOB	BRASS/STEEL	3
25	HOPPE 3 POINT LOCK BRASS LEAF	BRASS	2 PER SYS #5 1 PER SYS #4
26	DOOR BOTTOM	BRASS	2
27	FLUSH BOLT	BRASS	2 PER SYS #5 1 PER SYS #4
28	FLUSH BOLT STRIKE PLATE	BRASS	1 PER SYS #5 0 PER SYS #4
29	FLUSH BOLT GUIDE PLATE	BRASS	2 PER SYS #5 0 PER SYS #4
31	13# DENSITY CORE	POLYURETHANE	FILLER
32	STILES & RAILS	LVL	
33	DOOR SKIN	FIBERGLASS	2
34	DOOR EDGE BAND	WOOD	

JELD-WEN. WINDOWS & DOORS
IWP® Custom Door Division

MODEL	8'-0" EXTERIOR DOOR IS & OS W/ & W/O SIDELITES	GLASS:	N/A
SIZE			D012830
MATERIAL	FIBERGLASS		
FINISH	UNFINISHED	NOTE:	FRONT VIEWS
DRAWN	JM		
DATE	05/06/2015		
QTY 1	DRAWING#: JW332004HOPPE		SHEET 1 OF 6

Addendum to NAMI
Certification No:NI005825-R7
Reviewed By: TDW
Date Reviewed: 02/06/2017

REVISIONS		
REV.	DESCRIPTION	DATE
–	RELEASE TO PRODUCTION/T.M.	09/03/04
A	HOPPE HARDWARE OPTIONAL, TO GU	05/14/07
B	ADD BLOCKING AND ANCHOR DIMENSIONS	4/2/08



1/2 VERTICAL CROSS SECTION TYP. DOOR SCALE: 3" =1'-0"



2/2 VERTICAL CROSS SECTION TYP. SIDELITE SCALE: 3" =1'-0"



DETAIL -C
SCALE: 3" =1'-0"

JELD-WEN. WINDOWS & DOORS
IWP Custom Door Division

MODEL	SPECIAL DETAILS	GLASS:	N/A
SIZE			
MATERIAL	FIBERGLASS		D012830
FINISH	UNFINISHED	NOTE:	INSWING
DRAWN	JM		VERTICAL CROSS SECTION WOOD INSTALLATION
DATE	05/06/2015		
QTY	1	DRAWING#: JW332004HOPPE	SHEET 2 OF 6

Addendum to NAMI
Certification No:NI005825-R7
Reviewed By: TDW
Date Reviewed: 02/06/2017

REVISIONS		
REV.	DESCRIPTION	DATE
–	RELEASE TO PRODUCTION/T.M.	09/03/04
A	HOPPE HARDWARE OPTIONAL, TO GU	05/14/07
B	ADD BLOCKING AND ANCHOR DIMENSIONS	4/2/08



1/3 VERTICAL CROSS SECTION TYP. DOOR SCALE: 3" =1'-0"



2/3 VERTICAL CROSS SECTION TYP. SIDELITE SCALE: 3" =1'-0"



DETAIL –D
SCALE: 3" =1'-0"

JELD-WEN. WINDOWS & DOORS
IWP Custom Door Division

MODEL	SPECIAL DETAILS	GLASS:	N/A
SIZE			
MATERIAL	FIBERGLASS		D012830
FINISH	UNFINISHED	NOTE:	OUTSWING
DRAWN	JM		VERTICAL CROSS SECTION WOOD INSTALLATION
DATE	05/06/2015		
QTY	1	DRAWING#: JW332004HOPPE	SHEET 3 OF 6

Addendum to NAMI
Certification No:NI005825-R7
Reviewed By: TDW
Date Reviewed: 02/06/2017

REVISIONS		
REV.	DESCRIPTION	DATE
–	RELEASE TO PRODUCTION/RLF	09/07/04
A	HOPPE HARDWARE OPTIONAL, TO GU	05/14/07
B	ADD BLOCKING AND ANCHOR DIMENSIONS	4/2/08



4/4 HORIZONTAL CROSS SECTION TYP.
ASTRAGAL SCALE: 6" =1'–0"



DETAIL –A
SCALE: 3" =1'–0"



DETAIL –B
SCALE: 3" =1'–0"



3/4 HORIZONTAL CROSS SECTION TYP.
SIDELITE SCALE: 6" =1'–0"

5/4 HORIZONTAL CROSS SECTION TYP.
DOOR HINGE SCALE: 6" =1'–0"

JELD-WEN. WINDOWS & DOORS
IWP® Custom Door Division

MODEL	SPECIAL DETAILS	GLASS:	N/A
SIZE			
MATERIAL	FIBERGLASS		D012830
FINISH	UNFINISHED	NOTE:	
DRAWN	JM		INSWING
DATE	05/06/2015		HORIZONTAL CROSS SEC.
QTY	1	DRAWING#: JW332004HOPPE	SHEET 4 OF 6

REVISIONS		
REV.	DESCRIPTION	DATE
–	RELEASE TO PRODUCTION/RLF	09/07/04
A	HOPPE HARDWARE OPTIONAL, TO GU	05/14/07
B	ADD BLOCKING AND ANCHOR DIMENSIONS	4/2/08



Addendum to NAMI
Certification No:NI005825-R7
Reviewed By: TDW
Date Reviewed: 02/06/2017

4/5 *HORIZONTAL CROSS SECTION TYP. ASTRAGAL* *SCALE: 3" =1'-0"*



3/5 *HORIZONTAL CROSS SECTION TYP. SIDELITE* *SCALE: 3" =1'-0"*

5/5 *HORIZONTAL CROSS SECTION TYP. DOOR HINGE* *SCALE: 3" =1'-0"*

JELD-WEN. WINDOWS & DOORS
IWP® Custom Door Division

MODEL	SPECIAL DETAILS	GLASS:	N/A
SIZE			
MATERIAL	FIBERGLASS		D012830
FINISH	UNFINISHED	NOTE:	
DRAWN	JM		OUTSWING
DATE	05/06/2015		HORIZONTAL CROSS SEC.
QTY	1	DRAWING#: JW332004HOPPE	SHEET 5 OF 6

REVISIONS		
REV.	DESCRIPTION	DATE
–	RELEASE TO PRODUCTION/RLF	09/07/04
A	HOPPE HARDWARE OPTIONAL, TO GU	05/14/07
B	ADD BLOCKING AND ANCHOR DIMENSIONS	4/2/08





SYSTEM #5 INSWING/OUTSWING

ANCHORING LOCATIONS
DOUBLE OUTSWING UNIT W/ TWO SIDELITES (OXXO)
SCALE: 1/2" =1'-0"



6/6 *HINGE DETAIL*
SCALE: 3/16" =1'-0"

ALL DOOR MODELS ARE VIEWED FROM THE EXTERIOR SIDE

Addendum to NAMI
Certification No:NI005825-R7
Reviewed By: TDW
Date Reviewed: 02/06/2017

JELD-WEN. WINDOWS & DOORS
IWP® Custom Door Division

MODEL	SYSTEM #5 FRAME DETAILS	GLASS:	N/A
SIZE	112" x 96"		
MATERIAL	FIBERGLASS		D012830
FINISH	UNFINISHED	NOTE:	
DRAWN	JM	ANCHORING LOCATIONS	
DATE	05/06/2015		
QTY	1	DRAWING#: JW332004HOPPE	SHEET 6 OF 6