







COILSIDE ELEVATION




VERTICAL DETAIL



BOTTOM BAR DETAIL



WINDLOCK DETAIL



GUIDE DETAIL

NOTES:

1. UNIFORM STATIC AIR PRESSURE TEST PERFORMED PER ASTM E 330
2. TENSILE TEST PERFORMED ON CURTAIN PER ASTM E 8
3. TESTED BY ARCHITECTURAL TESTING, INC.
4. CURTAIN IS .028 MIN STEEL PER ASTM A 653, GR.40
5. GUIDE ANGLES ARE STRUCTURAL STEEL PER ASTM A 36
6. HOOD IS 24GA GALVANIZED STEEL

TEST	DATE	TEST REPORT NUMBER	RESULTS
UNIFORM STATIC AIR PRESSURE			
TENSILE			

PART NUMBER	WEIGHT (LB.)	TITLE	DRAWN BY	CHECKED BY	APPVD. BY	TOLERANCES (UNLESS OTHERWISE SPECIFIED)
REFERENCE		WINDLOAD TEST, 822, 16' x 8', #14 SLAT, ±31 PSF DESIGN (±47 PSF TEST)	M. DAUS 10/15/2003			LINEAR X ± .060 LINEAR XX ± .030 LINEAR XXX ± .010 ANGULAR ± .50° DIMENSIONS IN INCHES
		MATERIAL AS SHOWN	SCALE — WHEN THIS BOX IS .50" HIGH NONE	ORIGINAL RELEASE		



Wayne Dalton
Selling Door Opener
4512 Lincoln Way
Dalton, Ohio 44817

THIS DRAWING IS THE PROPERTY OF WAYNE DALTON AND IS LOANED WITH THE EXPRESSED AGREEMENT THAT THE DRAWINGS AND INFORMATION THEREIN CONTAINED ARE THE PROPERTY OF WAYNE DALTON AND WILL NOT BE REPRODUCED, COPIED, OR OTHERWISE DISPOSED OF, DIRECTLY OR INDIRECTLY, AND WILL NOT BE USED IN WHOLE OR IN PART TO ASSIST IN MAKING OR TO FURNISH ANY INFORMATION FOR THE MAKING OF DRAWINGS, PRINTS, OR OTHER REPRODUCTION THEREOF, OR FOR THE MAKING OF APPARATUS OR PARTS THEREOF, EXCEPT UPON WRITTEN PERMISSION OF WAYNE DALTON FIRST OBTAINED AND SPECIFIC AS TO EACH CASE. THE ACCEPTANCE OF THIS DRAWING WILL BE CONSIDERED AS AN ACCEPTANCE OF THE FOREGOING AGREEMENT.

REV.	REV. BY	APPVD. BY	RELEASE	DESCRIPTION

REVISIONS

SIZE	DRAWING NO.	REVISION
B	035-0003	

Wayne Dalton

Wayne Dalton
Roller Door Division
14512 Lincoln Way E.
Dollen, Ohio 44018